

**IN THE CLAIMS**

Claims 3-12 are amended herein. All pending claims are reproduced below.

- 1           1.       (canceled)
- 1           2.       (currently amended) A method for providing data over an electronic  
2 network to a wireless computing device having a browsing program, comprising:  
3 receiving a first portion of the data for a web page, the first data having a first display  
4 format;  
5 changing the data having a first display format to a second display format, wherein the  
6 second display format is capable of being displayed by the browsing program; and  
7 sending the changed data to a display of the wireless computing device before changing a  
8 second portion of data that is to be displayed on the same web page as the first portion of  
9 the data.
- 1           3.       (currently amended) The method as recited in claim 1 2 wherein said  
2 changing comprises:  
3 compressing the received data.
- 1           4.       (currently amended) The method as recited in claim 1 2 wherein said  
2 changing comprises:  
3 stripping out a portion of the received data.
- 1           5.       (currently amended) The method as recited in claim 1 2 wherein said  
2 changing comprises:  
3 converting the received data from HTML to WML.
- 1           6.       (currently amended) The method as recited in claim 1 2 wherein said  
2 changing comprises:  
3 converting the received data from HTML to HDML.
- 1           7.       (currently amended) The method as recited in claim 1 2 wherein said  
2 changing comprises:  
3 converting the received data from HTML to PQA.

1           8.       (currently amended) The method as recited in claim 14 2 wherein said  
2   changing comprises:  
3   converting the received data from HTML to XHTML.

1           9.       (currently amended) The method as recited in claim 1 2 wherein said  
2   changing comprises:  
3   reformatting the received data.

1           10.      (currently amended) The method as recited in claim 1 2 wherein said  
2   changing comprises:  
3   assessing a type of the received data; and  
4   changing the format in accordance with the type.

1           11.      (currently amended) The method as recited in claim 1 2 wherein said  
2   changing comprises:  
3   assessing a type of the browsing program; and  
4   changing the format in accordance with the type.

1           12.      (currently amended) The method as recited in claim 1 2 wherein said  
2   changing comprises:  
3   assessing a size of the display on the wireless computing device;  
4   assessing browsing program and device preferences set by the user; and  
5   changing the format in accordance with the size and preferences.

1           13.      (previously presented) A method for providing data over an electronic  
2   network to a wireless computing device having a browsing program, comprising:  
3   receiving a first portion of the data having a first display format;  
4   changing the data having a first display format to a second display format in accordance  
5   with a location of the wireless computing device, wherein the second display format is  
6   capable of being displayed by the browsing program; and  
7   sending the changed data to a display of the wireless computing device.

1           14.      (previously presented) The method as recited in claim 13 wherein said  
2   changing comprises:

3 stripping out a portion of the received data.

1 15. (previously presented) The method as recited in claim 13 wherein said  
2 changing comprises:  
3 reformatting the received data.

1 16. (previously presented) A method for providing data over an electronic  
2 network to a wireless computing device having a browsing program, comprising:  
3 receiving a first portion of the data having a first display format;  
4 changing the data having a first display format to a second display format in accordance  
5 with the type of application program used on the wireless computing device, wherein the  
6 second display format is capable of being displayed by the browsing program; and  
7 sending the changed data to a display of the wireless computing device.

1 17. (previously presented) The method as recited in claim 16 wherein said  
2 changing comprises:  
3 stripping out a portion of the received data.

1 18. (previously presented) The method as recited in claim 16 wherein said  
2 changing comprises:  
3 reformatting the received data.

1 19. (previously presented) An apparatus, comprising:  
2 a module for receiving a first portion of data having a first display format;  
3 a module for changing the data having a first display format to a second display format in  
4 accordance with a location of a wireless computing device, wherein the second display  
5 format is capable of being displayed by the browsing program; and  
6 a module for sending the changed data to the display of a wireless computing device.

1 20. (previously presented) The apparatus as recited in claim 19 wherein said  
2 changing module comprises:  
3 a module for stripping out a portion of the received data.